

Paper: IMA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
1	4.643(069317)	M1 A1	for 192.6 or 8.934 or 21.558(09268) or answer of 4.64 or digits 4643... for 4.643(069317)	Answer must be given to at least 3 decimal places rounded or truncated Check first 3 decimal places only If given to 3 dp or better ignore subsequent rounding
2	(a) positive (b) lbf drawn (c) 26.5 – 29.5	C1 C1 C1	cao for straight line passing between (140, 20) and (140, 22.5) and between (220, 30) and (220, 32.5) for answer in range 26.5 – 29.5 or fit single line with positive gradient	Ignore any description of a relationship and any reference to strength of correlation

Paper: IMA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
3	Zurich (supported)	P1 P1 C1	for one process to compare, eg eg Currency conversion, $3.5 \times 1.25 (= 4.375)$ or $7.20 \div 1.25 (= 5.76)$ or finds 1g in one place $\pounds 3.50 \div 200 (= 0.0175)$ or $7.20 \div 360 (= 0.02)$ or finds 200g in Zurich, $7.2 \div 360 \times 200 (= 4.0)$ or finds 360g in London, $3.5 \div 200 \times 360 (= 6.30)$ or finds grams per unit cost, $200 \div 3.50 (= 57.1...)$ or $360 \div 7.20 (= 50)$ for a complete process to find comparable figures in the same currency, eg comparing 200g in £ or francs $3.5 \times 1.25 (= 4.375)$ and $7.2 \div 360 \times 200 (= 4.0)$ or “4.0” $\div 1.25 (= 3.20)$ OR comparing 360g in £ or francs “6.30” $\times 1.25 (= 7.875)$ or $3.5 \div 200 \times 360 (= 6.30)$ and $7.20 \div 1.25 (= 5.76)$ OR comparing 1g in £ or francs “0.0175” $\times 1.25 (= 0.0218...)$ and $7.20 \div 360 (= 0.02)$ or $\pounds 3.50 \div 200 (= 0.0175)$ and “0.02” $\div 1.25 (= 0.016)$ OR comparing quantity per unit cost in £ or francs $200 \div 3.50 (= 57.1...)$ and $360 \div “5.76” (= 62.5)$ or $200 \div “4.375” (= 45.7...)$ and $360 \div 7.20 (= 50)$ for Zurich supported by correct comparable values, eg 4.3(75 F) and 4(0 F) or (£)3.2(0) or 7.8(75 F) or (£)6.3(0) and (£)5.76 or 0.021(8... F) and 0.02 (F) or (£)0.017(5) and (£)0.016 or 57(1... g/£) and 62(.5 g/£) or 45(7... g/F) and 50 (g/F)	Accept figures rounded or truncated to 2sf throughout Accept working in pence Ignore incorrect units for P marks Award if this mark implies the previous Clear indication that bar is better value for money in Zurich supported by correct values for comparison Units not needed but if given must be correct Table with examples at end of mark scheme

Paper: IMA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
4	statements	C1	for identifying that the number 17 should only be in the intersection Acceptable examples 17 should only be in the middle Take 17 out of (set) A only appropriate 17 crossed out on the Venn diagram Not acceptable examples Tom should put 17 in B Should have two 17's in the middle Take 17 out of (set) A Needs to remove a 17 17 is on twice	Accept correct descriptions using correct set notation for both marks Diagram may be used to support statements
		C1	for identifying that the number 1 is missing from the diagram Acceptable examples 1 should be in the outside region He should put 1 outside the circles Tom needs to put the number 1 on the diagram include 1 (outside $A \cup B$) 1 added to the diagram in the correct region Not acceptable examples Add the remaining numbers There are missing odd numbers between 0 and 20 put all the odd numbers outside the circles add the odd numbers in the $\mathcal{E}$ box include the even numbers 1 should be outside the Venn diagram	

Paper: IMA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
5 (a)	5, (0), -3, -4, (-3), 0, 5	B2 (B1)	for all 5 correct values for at least 2 correct values)	Accept freehand curves drawn that are not line segments Ignore anything drawn outside the required range
(b)	Graph drawn	B2 (B1)	for a fully correct graph ft (dep on B1 in (a)) for plotting at least 5 of the points from their table correctly)	
6	Yes (supported)	P1	for start to a process to find a percentage increase, eg $87 - 76 (=9)$ or $66 - 65 (=1)$ or $\frac{85}{76} (=1.118...)$ or $\frac{66}{65} (=1.015...)$	Accept use of rounded and truncated figures for all marks May work in decimals or equivalent proportions throughout
		P1	for process to find a % increase, eg $\frac{9}{76} \times 100 (=11.84...)$ or $\frac{1}{65} \times 100 (=1.53...)$ or $\frac{85}{76} \times 100 - 100 (=11.84...)$ oe or $\frac{66}{65} \times 100 - 100 (=1.53...)$ oe	
		P1	for processes to find both % increases, eg $\frac{9}{76} \times 100 (=11.84...)$ and $\frac{1}{65} \times 100 (=1.53...)$ or $\frac{85}{76} \times 100 - 100 (=11.84...)$ oe and $\frac{66}{65} \times 100 - 100 (=1.53...)$ oe	
		C1	for Yes supported by correct figures, eg $11(.842...) \div 1.5(38...) = 7.3$ to 8 or $11(.842...) \text{ and } 1.5(38...) \times 7 = 10(.766...)$ or $11(.842...) \div 7 = 1.57$ to 1.7 and $1.5(3...)$ or $0.11(842...) \text{ and } 0.10(766...)$	

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
7	240	P1	for forming an appropriate equation, eg $2x + 11 = 4x - 4$ or $2x + 11 + 4x - 4 + 2x + 5 = 72$ or $8x + 12 = 72$	$8x = 60$ or $2x = 15$ implies P2 A correct length stated or shown on diagram implies P2 Eg $AB = 20$, $AC = 26$, $CB = 26$ $[AC]$ $[BC]$ $[AB]$ $[ACB]$ $[CAB]$ and $[BAC]$ must be clearly identified if incorrect. May be on diagram. $AB = 2 \times "7.5" + 5 (= 20)$ $AC = 2 \times "7.5" + 11 (= 26)$ $CB = 4 \times "7.5" - 4 (= 26)$ Alternative scheme not expected on Foundation tier but may be seen. fit incorrect figures providing at least one previous P1 awarded. [height] is what they clearly think is the height of the triangle but not 26 or 20 or 10
		P1	(dep P1) for process to isolate terms in x for their equation, eg $4x - 2x = 11 + 4$ or $2x + 4x + 2x = 72 - 11 + 4 - 5$ or $x = 7.5$ oe	
		P1	for correct application of Pythagoras, eg $(26)^2 - \left(\frac{20}{2}\right)^2$ or $[AC]^2 - \left(\frac{[AB]}{2}\right)^2$ or height = 24 or a complete method to find the height	
		P1	for process to find area of triangle, eg $"20" \times "24" \div 2$ or $[AB] \times [\text{height}] \div 2$	
		A1	cao	

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
8	3.125×10^7	M1	for $(k =) (1.25 \times 10^{-12}) \div (4 \times 10^{-20})$ or for the digits 3125	Can condone missing brackets on division 3.1×10^7 or 3.12×10^7 or 3.13×10^7 will score M1A0
		A1	cao	
9	shown	M1	for method to find the interior angle eg $(9 - 2) \times 180 \div 9 (= 140)$ or exterior angle eg $360 \div 9 (= 40)$ of a regular nonagon	Angles may be shown on the diagram Any angle labelled correctly as 140 or 40 and not contradicted scores this mark
		M1	for a complete method to find the interior angle ABC , eg $360 - "140" - "140" (= 80)$ or $"40" \times 2 (= 80)$ or finds the angle sum assuming a square, eg $90 + "140" + "140" (= 370)$	
		A1	for complete solution with correct conclusion, eg interior angle of a square is 90, not 80 or angles around a point sum to 360 not 370	
10	$x = -2.5, y = -6$	M1	for a correct method to eliminate one variable (condone one arithmetic error)	Fractions do not need to be in simplest form Fractions do not need to be in simplest form
		A1	for either $x = -2.5$ or $y = -6$ oe	
		M1	(dep M1) for substituting found value into one of the equations or correct method after starting again (condone one arithmetic error)	
		A1	for either $x = -2.5$ and $y = -6$ oe SCB2 for both correct answers if no more than 1 mark awarded SCB1 for one correct answer if no marks awarded	

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
11	enlargement scale factor $\frac{2}{3}$ centre $(-4, -2)$	C2 (C1)	for enlargement, scale factor $\frac{2}{3}$ oe, centre $(-4, -2)$ for 2 of the 3 aspects)	Award no marks if more than one transformation is given
12	5.9	P1 P1 P1 P1 A1	for a process to find the volume of the cylinder, eg $\pi \times 3^2 \times 8 (= 226.19\dots)$ for process to find mass of cylinder, eg $"226.19" \times 7.86 (= 1777.89\dots)$ or $[\text{volume}_1] \times 7.86$ for process to find volume of cube, eg $"1777.89" \div 8.5 (= 209.16\dots)$ or $[\text{mass}] \div 8.5$ for process to find side length, eg $\sqrt[3]{209.16\dots}$ or $\sqrt[3]{[\text{volume}_2]}$ for answer in range 5.9 to 5.94	Can be implied by 72π [volume ₁] must be unambiguously the volume of the cylinder but cannot be 3 or 8 [mass] must be unambiguously the mass of the cylinder [volume ₂] must be unambiguously the volume of the cube

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
13 (a)	No with reason	C1	for No with reason, Acceptable examples No, $4 \div 4 \neq 8 \div 6$ No, $4 \div 4 \neq 8 \div 6$ so they don't have the same constant No because $y = kx$ doesn't work No, it won't pass through $(0, 0)$ Not acceptable examples Yes, No, they don't increase by the same number No, they don't have the same constant	
(b)(i)	49	M1 M1 A1	for stating a correct relationship, eg $w = k \times \sqrt{t}$ or $140 = k \times \sqrt{64}$ oe for method to find constant of proportionality, eg $140 \div \sqrt{64} (= 17.5)$ oe cao	Condone the use of ' α ' instead of '=' for both M marks Award of this mark implies the previous mark
(ii)	sketch	C1	for sketch	Sketch at end of mark scheme
14	180	M1 A1	for $10 \times 9 \times 4 (= 360)$ or $10 \times 9 \times 4 \div 2$ or $10 \times 9 \div 2 (= 45)$ or $(9 \times 4) + (8 \times 4) + (7 \times 4) + (6 \times 4) + (5 \times 4) + (4 \times 4) + (3 \times 4) +$ $(2 \times 4) + (1 \times 4)$ oe cao	

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
15 (a)	$5n^2 + 2n - 4$	M1	for a correct start to a method to find the n th term, eg constant 2nd differences and n^2 OR states $2a = 10$ or $3a + b = 17$	Need to see constant 2nd difference found and n^2 Condone use of a different variable throughout $a = 5$ or $b = 2$ implies M1 $5n^2 + 2n$ implies M2 $5n^2$ is implied by 5, 20, 45, ... $a = 5$ and $b = 2$ implies M2 Condone $+-4$
		M1	for working with $5n^2$, eg $5n^2$, and sequence $-2, 0, 2, \dots$ OR states $2a = 10$ and $3a + b = 17$	
		A1	for $5n^2 + 2n - 4$ oe	
	1.2	M1	for substituting values, eg $4 = k \times 9 + k$ or $4 = k(9+1)$ or $(k = 0.4)$	
		M1	for $(u_3 =) "0.4" \times 4 + "0.4" (= 2)$	
		A1	for 1.2 oe	
16	Histogram completed	M1	for method to use area to find at least one other frequency (not 11), eg $10 \times 1.5 (= 15)$ or $20 \times 0.3 (= 6)$	Condone one error in reading FD Ft one error from reading FD
		M1	for method to find unknown frequencies, eg $(60 - 11 - "15" - "6") \div 2 (= 14)$	
		M1	ft for method to find an unknown frequency density, eg $"14" \div 5 (= 2.8)$ or $"14" \div 10 (= 1.4)$ or one correct bar drawn	
		C1	cao	

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
17	shown	M1	for use of a common denominator for 2 correct fractions, eg 2 of $\frac{6x-y}{10xy}$ or $\frac{5y}{10xy}$ or $\frac{2(2y-7x)}{10xy}$ oe	If seen in steps all arithmetic must be correct
		M1	for a correct method to write as single fraction, eg $\frac{6x-y}{10xy} + \frac{5y}{10xy} - \frac{4y-14x}{10xy}$ or $\frac{6x-y}{10xy} + \frac{5y}{10xy} - \frac{(4y-14x)}{10xy}$ or $\frac{6x-y+5y-4y+14x}{10xy}$ or $\frac{20x}{10xy}$ oe	
		C1	for correct working leading to $\frac{2}{y}$	

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
18	Proof	M1	begins proof to show that triangles ABO and CBO or triangles ABD and CBD are congruent by giving one pair of equal sides or equal angles with reason	Where D is point such that BOD is diameter
		M1	for different pair of equal sides or angles with reason	
		C1	for full proof that triangles ABO and CBO are congruent, SSS, or triangles ABD and CBD are congruent, RHS, and therefore angle $ABO = \text{angle } CBO$ $AB = CB$ (given) BO (or BD) is <u>common</u> $AO = CO$ <u>radii</u> of circle angle $BAD = \text{angle } BCD$ angles in a <u>semicircle</u> are 90 ($BO = AO = CO$ <u>radii</u> of circle) counts as two sides with reasons	
		M1	OR draws OA , OC and AC and labels angle $OAC = x$ and angle $OCA = x$ with reason given, $AO = CO$ <u>radii</u> of circle and base angles of an <u>isosceles triangle</u> are equal or $BAC = BCA$ since ABC is isosceles	
		M1	shows $OAC = OCA$ and shows $BAC = BCA$ and uses these to show $OAB = OCB$ with all reasons given	
		C1	for full proof concluding with angle $ABO = y$ and angle $CBO = y$ with reason given, eg $OA = OB = OC$ radii of circle and OBC and OAC are isosceles	

Paper: 1MA1/2H																																																				
Question	Answer	Mark	Mark scheme	Additional guidance																																																
19	60 and reason	B1	for 432.5 or 437.5 or 9.75 or 9.85 or 2.45 or 2.55	<table><tr><th>Letter</th><th>Given</th><th>LB</th><th>UB</th></tr><tr><td>w</td><td>435</td><td>432.5</td><td>437.5</td></tr><tr><td>a</td><td>9.8</td><td>9.75</td><td>9.85</td></tr><tr><td>c</td><td>2.5</td><td>2.45</td><td>2.55</td></tr></table> UB <table><tr><th>Letter</th><th>Given</th><th>LB</th><th>UB</th></tr><tr><td>w</td><td>435</td><td>432.5</td><td>437.5</td></tr><tr><td>a</td><td>9.8</td><td>9.75</td><td>9.85</td></tr><tr><td>c</td><td>2.5</td><td>2.45</td><td>2.55</td></tr></table> LB <table><tr><th>Letter</th><th>Given</th><th>LB</th><th>UB</th></tr><tr><td>w</td><td>435</td><td>432.5</td><td>437.5</td></tr><tr><td>a</td><td>9.8</td><td>9.75</td><td>9.85</td></tr><tr><td>c</td><td>2.5</td><td>2.45</td><td>2.55</td></tr></table>	Letter	Given	LB	UB	w	435	432.5	437.5	a	9.8	9.75	9.85	c	2.5	2.45	2.55	Letter	Given	LB	UB	w	435	432.5	437.5	a	9.8	9.75	9.85	c	2.5	2.45	2.55	Letter	Given	LB	UB	w	435	432.5	437.5	a	9.8	9.75	9.85	c	2.5	2.45	2.55
		Letter	Given		LB	UB																																														
		w	435		432.5	437.5																																														
		a	9.8		9.75	9.85																																														
		c	2.5		2.45	2.55																																														
Letter	Given	LB	UB																																																	
w	435	432.5	437.5																																																	
a	9.8	9.75	9.85																																																	
c	2.5	2.45	2.55																																																	
Letter	Given	LB	UB																																																	
w	435	432.5	437.5																																																	
a	9.8	9.75	9.85																																																	
c	2.5	2.45	2.55																																																	
M1	for a correct process to find a bound for T eg $[\text{LB of } w] \div [\text{UB of } a - \text{LB of } c]$ where $432.5 \leq [\text{LB of } w] < 435$ and $9.8 < [\text{UB of } a] \leq 9.85$ and $2.45 \leq [\text{LB of } c] < 2.5$ or $[\text{UB of } w] \div [\text{LB of } a - \text{UB of } c]$ where $435 < [\text{UB of } w] \leq 437.5$ and $9.75 \leq [\text{LB of } a] < 9.8$ and $2.5 < [\text{UB of } c] \leq 2.55$																																																			
M1	for a correct process to find both LB and UB bound for T eg $[\text{LB of } w] \div [\text{UB of } a - \text{LB of } c]$ where $432.5 \leq [\text{LB of } w] < 435$ and $9.8 < [\text{UB of } a] \leq 9.85$ and $2.45 \leq [\text{LB of } c] < 2.5$ and $[\text{UB of } w] \div [\text{LB of } a - \text{UB of } c]$ where $435 < [\text{UB of } w] \leq 437.5$ and $9.75 \leq [\text{LB of } a] < 9.8$ and $2.5 < [\text{UB of } c] \leq 2.55$																																																			
A1	(dep on all previous marks) for 58.44(5...) and 60.76(3...) with both values clearly coming from working with correct values																																																			
C1	for 60 from 58.44... and 60.76... and statement that both LB and UB round to 60																																																			
				Accept bounds rounded or truncated to at least 4 sf																																																

Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
20	10.8	P1	for process to find FC , eg $\tan 52 = \frac{8}{FC}$ ($FC = 6.25(028..)$)	
		P1	for process that will lead to side length of ABC , eg $\sin 60 = \frac{6.25 \times 1.5}{BC}$ or $\cos 30 = \frac{6.25 \times 1.5}{BC}$ or $(6.25 \times 1.5)^2 + (0.5x)^2 = x^2$ oe	
		A1	for answer in range 10.8 to 10.83	


Paper: 1MA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
21	-6, 3.5	P1	for process to find gradient of PR or QR , eg $\frac{k+3-5}{k-4} \left(= \frac{k-2}{k+4} \right)$ or $\frac{k+3-6}{k-6} \left(= \frac{k+9}{k-6} \right)$ or $\frac{5-(k+3)}{-4-k} \left(= \frac{2-k}{-4-k} \right)$ or $\frac{-6-(k+3)}{6-k} \left(= \frac{-9-k}{6-k} \right)$ OR for start of process to use Pythagoras, eg $PR^2 = (k-4)^2 + (k+3-5)^2$ or $RP^2 = (-4-k)^2 + (-5-(k+3))^2$ or $QR^2 = (k-6)^2 + (k+3-6)^2$ or $RQ^2 = (6-k)^2 + (-6-(k+3))^2$	Condone missing bracket for first P1 only Stating eg Grad $PR = \frac{k-4}{k+3-5}$ Or grad $QR = \frac{k-6}{k+3-6}$ scores P0 but check SC
		P1	for forming a correct equation, eg $\frac{k+3-5}{k-4} \times \frac{k+3-6}{k-6} = -1$ or $\frac{k-2}{k+4} \times \frac{k+9}{k-6} = -1$ or $\frac{5-(k+3)}{-4-k} \times \frac{-6-(k+3)}{6-k} = -1$ or $\frac{2-k}{-4-k} \times \frac{-9-k}{6-k} = -1$ oe OR $(k-4)^2 + (k+3-5)^2 + (k-6)^2 + (k+3-6)^2 = (-6-5)^2 + (6-4)^2$ or $(k+4)^2 + (k-2)^2 + (k-6)^2 + (k+9)^2 = (-11)^2 + 10^2$	
		P1	for writing in the form $ak^2 + bk + c (=0)$, eg $2k^2 + 5k - 42 (=0)$ or $4k^2 + 10k - 84 (=0)$	
		P1	(dep P3) for factorising, eg $(k+6)(2k-7) (=0)$ or $(2k+12)(2k-7)$ or $(k+6)(4k-14)$ OR use of formula, eg $\frac{-5 \pm \sqrt{5^2 - 4 \times 2 \times -42}}{2 \times 2}$ or $\frac{-10 \pm \sqrt{10^2 - 4 \times 4 \times -84}}{2 \times 4}$	
		A1	cao SCB4 for correct answer coming from consistent use of reciprocals of gradients	

Paper: IMA1/2H				
Question	Answer	Mark	Mark scheme	Additional guidance
22	26	P1	for a correct 2nd probability, eg $\frac{2x-1}{5x-1}$ or $\frac{3x-1}{5x-1}$ or $\frac{2x}{5x-1}$ or $\frac{3x}{5x-1}$ or $\frac{\frac{3}{5}n-1}{n-1}$ or $\frac{\frac{2}{5}n-1}{n-1}$	Award of this mark implies P2 Award of this mark implies P3
		P1	for a correct product, eg $\frac{3x}{5x} \times \frac{3x-1}{5x-1}$ or $\frac{2x}{5x} \times \frac{2x-1}{5x-1}$ or $\frac{3}{5} \times \frac{2x}{5x-1}$ or $\frac{2}{5} \times \frac{3x}{5x-1}$ or $\frac{3}{5} \times \frac{\frac{3}{5}n-1}{n-1}$ or $\frac{2}{5} \times \frac{\frac{2}{5}n-1}{n-1}$ oe	
		P1	for process to form equation, eg $\frac{3x}{5x} \times \frac{3x-1}{5x-1} + \frac{2x}{5x} \times \frac{2x-1}{5x-1} = \frac{41}{80}$ or $2 \times \frac{3}{5} \times \frac{2x}{5x-1} = \frac{39}{80}$ or $\frac{3}{5} \times \frac{\frac{3}{5}n-1}{n-1} + \frac{2}{5} \times \frac{\frac{2}{5}n-1}{n-1}$ oe	
		P1	for process to eliminate fractions and reduce equation to linear or quadratic form, eg $1040x - 400 = 1025x - 205$ or $960x = 975x - 195$ or $1040x^2 - 400x = 1025x^2 - 205x$ or $960x^2 = 975x^2 - 195x$ or $\frac{208}{5}n - 80 = 41n - 41$ or $x = 13$ or $n = 65$	
		A1	cao	

Question 3

	London	Zurich
100g	$3.5 \div 2 = \text{£}1.75$ $1.75 \times 1.25 = \text{£}2.1875 \text{ F}$	$7.2 \div 360 = \text{£}2.00 \text{ F}$ $2.00 \div 1.25 = \text{£}1.60$
200g	£3.50 $3.5 \times 1.25 = \text{£}4.375 \text{ F}$	$7.2 \div 360 \times 200 = \text{£}4.0 \text{ F}$ $4.0 \div 1.25 = \text{£}3.20$
360g	$3.5 \div 200 \times 360 = \text{£}6.30$ $6.30 \times 1.25 = \text{£}7.875 \text{ F}$	£7.20 F $7.20 \div 1.25 = \text{£}5.76$
1g	$\text{£}3.50 \div 200 = \text{£}0.0175$ $\times 1.25 = \text{£}0.021875 \text{ F}$	$7.20 \div 360 = \text{£}0.02 \text{ F}$ $\div 1.25 = \text{£}0.016$
40g	$\text{£}3.50 \div 5 = \text{£}0.70$ $0.7 \times 1.25 = \text{£}0.875 \text{ F}$	$7.20 \div 9 = \text{£}0.8 \text{ F}$ $0.8 \div 1.25 = \text{£}0.64$
By weight	$350 \div 200 = 1.75 \text{ p/g}$ $350 \times 1.25 = 4.375$ $4.375 \div 200 = \text{£}0.021875 \text{ F/g}$	$720 \div 360 = \text{£}0.02 \text{ F/g}$ $720 \div 1.25 = 576$ $576 \div 360 = 1.6 \text{ p/g}$

Question 13(b) (ii)



Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 2H

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: $\pm 5^\circ$

Measurements of length: ± 5 mm

PAPER: 1MA1_2H		
Question	Modification	Mark scheme notes
2	Wording changed: 'Look at the diagram for Question 2 in the Diagram Booklet. It is a scatter graph showing information about some ships.' Diagram enlarged. Crosses changed to dots. Vertical axis cropped so it starts at 15. Open headed arrows. m changed to metres.	
(b)	Wording added: 'in the Diagram Booklet' For Braille: sentence added 'Drawing film is provided if you wish to use it.'	Standard mark scheme
(c)	Value '194' changed to '190'.	Standard mark scheme
3	Information in boxes removed. g changed to gram.	Standard mark scheme
4	Wording added: 'Look at the diagram for Question 4 in the Diagram Booklet. It shows a Venn diagram.' Wording 'Here is his answer.' removed and replaced with 'His answer is shown in the Diagram Booklet.' Diagram enlarged. Numbers arranged in two rows.	Standard mark scheme
5	(a) Word added 'below'. Wording added 'There are five spaces to fill.' Table enlarged, turned vertically and left aligned. For Braille: missing values labelled (i), (ii), (iii), (iv) and (v)	Standard mark scheme
(b)	Wording added: 'Look at the diagram for Question 5(b) in the Diagram Booklet. It shows a grid.' Diagram enlarged. Open headed arrows. Vertical axis cropped at -5. For Braille: sentence added 'Bumpsons and drawing film are provided if you wish to use them.'	Standard mark scheme

PAPER: 1MA1_2H		
Question	Modification	Mark scheme notes
6	p changed to pence.	Standard mark scheme
7	Wording changed: 'Look at the diagram for Question 7 in the Diagram Booklet. It...' Wording added: ' $AC = 2x + 11$ $AB = 2x + 5$ $BC = 4x - 4$ ' Diagram enlarged. Lines on the sides made longer.	Standard mark scheme
9	Wording changed: 'Look at the diagram for Question 9 in the Diagram Booklet. It...' Diagram enlarged.	Standard mark scheme
11	Wording added: 'Look at the diagram for Question 11 in the Diagram Booklet. It shows triangle A and triangle B on a grid.' Diagram enlarged. Open headed arrows. Shapes relabelled 'triangle A' and 'triangle B'. Shading changed.	Standard mark scheme
12	Wording changed: 'Look at Diagrams 1-4 for Question 12 in the Diagram Booklet. You may be provided with two models. They are NOT accurate. The models show a solid cylinder and a solid cube. The cylinder has base radius 3 cm and height 8 cm The cube has side length h cm Diagram 1 shows a 3D view of the cylinder. Diagram 2 shows the base of the cylinder. Diagram 3 shows a side view of the cylinder. Diagram 4 shows a 3D view of the cube. Diagram enlarged. 2 additional 2D views added. Open headed arrows.	Standard mark scheme

PAPER: 1MA1_2H		
Question	Modification	Mark scheme notes
13	(a) Wording changed: 'Look at the table for Question 13 in the Diagram Booklet. It shows a...' Table turned vertical.	Standard mark scheme
	(b) Wording changed: 'Look at the diagram for Question 13(b)(ii) in the Diagram Booklet. It shows axes labelled t and w.' Wording 'below' removed. For Braille: sentence added 'Drawing film is provided if you wish to use it.' Diagram enlarged. Open headed arrows.	Standard mark scheme
16	Wording changed: 'Look at the diagram for Question 16 in the Diagram Booklet. It is a histogram giving ...' Value '11' changed to '15' Diagram enlarged. Open headed arrows. Frequency density of first bar changed to 3. Frequency density of the last bar changed to 0.5. For Braille: sentence added 'Drawing film and bumpons are provided if you wish to use them.'	M1 for method to use area to find at least one frequency, eg $10 \times 1.5 (= 15)$ or $20 \times 0.5 (= 10)$ M1 for method to find unknown frequencies, eg $(60 - 15 - "15" - "10") \div 2 (= 10)$ M1 for method to find an unknown frequency density, eg $"10" \div 5 (= 2)$ or $"10" \div 10 (= 1)$ or one correct bar drawn
18	Wording changed: 'Look at the diagram for Question 18 in the Diagram Booklet. It shows A, B and C, three points on a circle, centre O' Diagram enlarged. For Braille: sentence added 'Drawing film is provided if you wish to use it.'	Standard mark scheme

PAPER: 1MA1_2H		
Question	Modification	Mark scheme notes
19	Letter 'a' changed to 'p' Letter 'c' changed to 'q'	Standard mark scheme but note change of letters
20	Wording changed: 'Look at Diagram 1, Diagram 2 and Diagram 3 for Question 20 in the Diagram Booklet. You may be provided with two models. They are NOT accurate. Model 1 and Diagram 1 show solid pyramid VABC. ABC is the base of the pyramid. V is the vertex above the base. M is the midpoint of AB. F is a point on the line MC. Model 2 shows the base of the pyramid ABC with a framework to show the other three sides. There is a rod, FV, inside the framework, to show the vertex V vertically above point F on the base. Diagram 2 shows side ABC' Wording added: 'Diagram 3 shows the cross section VMC' Diagram enlarged. 2 additional 2D views added.	Standard mark scheme